

## DS-KH8340-TCE2

### Two-Wire Indoor Station with 7-inch Touch Screen

114-131



DS-KH8340-TCE2 is a two-wire indoor station with 7-inch touch screen. It possesses good appearance, flattened UI design, and easy operation.

- Hands-free audiovisual communication with the door station and the master station in the intercom system
- Supports monitoring door stations and external cameras
- Supports auto-answering and do not disturb mode
- Noise suppression and echo cancellation
- Community notice supported
- Convenient installation and easy operation


## DS-KH8340-TCE2

### Specifications


Model		DS-KH8340-TCE2
System parameter	Processor	High-Performance Embedded SOC Processor
	Display screen	7-inch Colorful TFT LCD
Display parameters	Display resolution	1024 × 600
	Operation method	Capacitive Touch Screen, Touch Button
	Operation interface	Flattened UI Operation Interface
Video parameter	Video compression standard	H.264

Model		DS-KH8340-TCE2
Audio parameters	Audio input	Built-in Omnidirectional Microphone
	Audio output	Built-in Loudspeaker
	Audio quality	Noise Suppression and Echo Cancellation
Device interfaces	Network interface	Two-Wire Interface
	RS-485 interface	1, Half-duplex Interface
	Alarm output	1
General	Power supply	Powered by DS-KAD709
	Power consumption	Max. 10 W
	Working temperature	-10 ° C to +55 ° C (14 ° F to 131 ° F)
	Working humidity	10% to 90%
	Installation	Wall Mounting
	Dimension	196 mm × 133 mm × 25.75 mm (7.72" × 5.24" × 1.01")

## Typical Application



## Appearance and Interfaces



No.	Description	No.	Description
1	Power Supply Indicator	8	LCD Display Screen
2	Information Indicator	9	Microphone
3	Alarm Indicator	10	Two-Wire Interfaces
4	Call Accept/Decline Key	11	Terminals
5	Unlock Key	12	Serial Port
6	Live View Key	13	TF Card Slot
7	Management Center Key	14	Loudspeaker

## ORDERING INFORMATION

114-131 Hikvision DS-KH8340-TCE2



Innovative Electronic Solutions  
www.ness.com.au



**NSW** Ph 02 8825 9222  
sales@ness.com.au

**VIC** Ph 03 9875 6400  
nessmelb@ness.com.au

**QLD** Ph 07 3399 4910  
nessbris@ness.com.au

**WA** Ph 08 9328 2511  
nessper@ness.com.au

**SA** Ph 08 8152 0000  
adelaide@ness.com.au