

iDS-6704NXI-S/T DeepinMind NVS

114-635-1TB
114-635-2TB




- Intelligent analytics based on deep learning algorithm
- Up to 4-ch video stream perimeter protection powered by large model technology
- H.265+/H.265/H.264+/H.264 video formats
- Pre-installed 1TB SSD
- Better environmental adaptability (-30°C to 60°C)

▪ Specification

Perimeter Protection	
By NVR	4-ch, 6 MP (HD network camera, H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm
Video and Audio	
IP Video Input	4-ch
Incoming Bandwidth	32 Mbps
Outgoing Bandwidth	128 Mbps
Audio Output	1-ch, RCA (Linear, 1 KΩ)
Two-Way Audio	1-ch, RCA (2.0 Vp-p, 1 KΩ, using the audio input)
Decoding	
Decoding Format	H.265+/H.265/H.264+/H.264
Recording Resolution	8MP/7MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Network	
Remote Connection	128
Network Interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
Network Protocol	TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, ISUP, UPnP™, HTTP, HTTPS
API	ONVIF (profile S/G); SDK; ISAPI
Auxiliary Interface	
Serial Interface	1 RS-232 (Type-C)
Alarm In/Out	4/4
USB Interface	2 × USB 3.0
General	
Power Supply	48 VDC, 1.04A
Consumption	≤ 20 W
Working Temperature	-30 °C to 60 °C (-22 °F to 140 °F)
Working Humidity	10 to 90 %
Dimension (W × D × H)	176 × 143 × 54 mm (6.9 × 5.6 × 2.1 inch)
Weight	≤ 1kg (2.2 lb.)
Certification	
CE	EN 55032:2015, EN 61000-3-2, EN 61000-3-3, EN 50130-4
Obtained Certification	CE, CB, Rohs, Reach, WEEE, UKCA


▪ Dimension



Unit:mm [inch]

SCALE	1:1
-------	-----

▪ Physical Interface



No.	Description	No.	Description
1	LAN network interfaces	5	RS-232 interface
2	Audio in and audio out	6	Reset button
3	Alarm in, alarm out, and RS-485	7	Power supply
4	USB 3.0 interfaces	8	GND

▪ Available Model

iDS-6704NXI-S/T



Innovative Electronic Solutions
www.ness.com.au



NSW Ph 02 8825 9222 | VIC Ph 03 9875 6400 | QLD Ph 07 3399 4910 | WA Ph 08 9328 2511 | SA Ph 08 8152 0000
 sales@ness.com.au | nessmelb@ness.com.au | nessbris@ness.com.au | nessper@ness.com.au | adelaide@ness.com.au

© Ness Corporation Pty Ltd ABN 28 069 984 372. Photos are used for illustrative purposes only. Design and specifications may vary. See the Ness Corporation web site for full warranty details.